Image-guided Spinal Anesthesia

Abtin Rasoulian
Robert Rohling
Purang Abolmaesumi
















Spinal anesthesia

- Epidurals
- Facet blocks
- Spinal blocks
- Spinal taps





- All are done blindly or under fluoroscopic guidance
- For example, it takes 60
 patients for a resident to
 reach competency of 90% in
 epidural insertion.







Epidural needle insertion











Image-based solutions

- Pre-puncture planning
- Real-time guidance
- Some tools may help:
 - Ultrasound: real-time
 - CT: off-line
 - Tracking equipment
 - User interface/software












Prepuncture 2D ultrasound in epidural




Para-median view








Real-time needle guidance using 2D ultrasound







subject

skin

ligamentum
flavum

center of the transducer

Steep angle: longer needle path Paramedian view: painful needle insertion through spinae erector muscle

No context

Tran'10







Needle tracking – commercial tools

Examples

SonixGPS

Ultrasonix, Richmond, BC,

Canada



Sensor-based tracking




Civco Inc., Kalona, Iowa, US





3D reslice ultrasound imaging



Motivation / Tools / Planning / Guidance


Rasoulian'10





CT images

Spine can be segmented manually or automatically






Surface model





Solution for both planning and guidance

- Acquire images
- Augment images
 - Why augment images:
 - Provide context
 - Improve accuracy





Motivation / Tools / Planning / Guidance


Moore'09






3D Ultrasound reconstruction of spine: with tracker

Ultrasound probe <u>calibration</u> and <u>tracking</u>



Paramedian view of the ultrasound volume of Lamb fixed in a container



Requires patient tracking

Motivation / Tools / Planning / Guidance

Gill'10





3D Ultrasound reconstruction of spine: with camera on probe



Single camera



marker strip Ultrasound frame Ultrasound

with unique features

pose estimation

panorama construction


Motivation / Tools / Planning / Guidance

Rafii-Tari'11





3D Ultrasound reconstruction of spine: with camera on probe cont'd









3D Ultrasound reconstruction of spine: no tracker


Speckle tracking





Correct the estimation by registration with CT

In-plane and out-of-plane motion estimation using spackle tracking




Motivation / Tools / Planning / Guidance

Lang'11







3D Ultrasound reconstruction of spine: no tracker



Ground truth



Speckle tracking



Correction with the CT

Lang'11







Ultrasound augmentation with CT: single vertebra




Winter'08 – surfacevolume registration

Extract relevant points from CT





Yan'11 – volume-volume registration




Enhance bone surface in ultrasound images

Winter'08, Yan'11





Ultrasound augmentation with CT: multi-vertebrae



Motivation / Tools / Planning / Guidance







Gill'10

Registered

CT Volume

Ultrasound augmentation with CT: multi-vertebra





feature-based registration


Motivation / Tools / Planning / Guidance

Rasoulian'09





Ultrasound augmentation with Atlas



ultrasound volume

Run-time on GPU: 9 min

Motivation / Tools / Planning / Guidance

Khallaghi'11


Aligned






Ultrasound augmentation with Atlas

Generation of an unbiased atlas




Feature-based alignment of the single vertebra atlas and ultrasound images




Run-time on Matlab: 5 sec

First four modes of the atlas



Phantom data



in vivo human data

Rasoulian'11






Ultrasound real-time augmentation with CT

- Tracked needle tool, ultrasound transducer and tracker field generator
- Phantom and cadaver study

Accuracy in needle insertion	
No guidance	5.77
Guidance using ultrasound image only	4.87
Guidance using ultrasound+CT model	0.57







Motivation / Tools / Planning / Guidance


Moore'09, Chen 2010






Open problems

- Real-time guidance with ultrasound augmented by atlas
- Reduce use of tracking tools
- More patient studies









THANK YOU QUESTION?







References

- [Gill'10] Biomechanically constrained groupwise ultrasound to CT registration of the lumbar spine, Medical Image Analysis 2010.
- [Khallaghi'11] Biomechanically constrained groupwise statistical shape model to ultrasound registration of the lumbar spine, MICCAI 2011.
- [Lang'11] Multi-modal Registration of Speckle-tracked Freehand 3-D Ultrasound to CT in the Lumbar Spine, Medical Image Analysis 2011.
- [Moore'09] Image guidance for spinal facet injections using tracked ultrasound, MICCAI 2009.
- [Rafii-Tari'11] Panorama ultrasound for guiding epidural anesthesia: a feasibility study, IPCAI 2011.
- [Rasoulian'09] Group-wise feature-based registration of CT and ultrasound images of spine, SPIE 2009.



References

- [Rasoulian'10] Porcine thoracic epidural depth measurement using 3D ultrasound resliced images, CAS 2010.
- [Rasoulian'11] Atlas-augmented ultrasound guidance of lumbar epidural needle insertions, SOAP 2011.
- [Tran'10] Single-operator real-time ultrasound-guidance to aim and insert a lumbar epidural needle, CJA 2011.
- [Winter'08] Registration of CT and intraoperative 3-D ultrasound images of the spine using evolutionary and gradient-based methods. IEEE Transactions on Evolutionary Computation, 2008.
- [Yan'11] Towards accurate, robust and practical ultrasound-CT registration of vertebrae for image-guided spine surgery, Int J CARS 2011.

